

Solulink, Incorporated
9853 Pacific Heights Blvd, Suite H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 625-0770

DATE: May 14, 2007

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Chemical Name: **S-HyNic (succinimidyl 6-hydrazinonicotinate acetone hydrazone)**
Molecular Formula: $C_{12}H_9NO_5$
Molecular Weight: 247.2

2. COMPOSITION/INGREDIENTS

CAS Number: Custom synthesized compound. No CAS Number.
Components: single compound

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale yellow solid
Percent Purity: >95%
Boiling Point: NA
Melting Point: NA
Freezing Point: NA
pH: NA
Solubility: NA
Vapor Density: NA
Vapor Pressure: NA

4. REACTIVITY

Stability: stable when stored desiccated
Incompatibility:
Hazardous Decomposition Components:

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. HAZARDS IDENTIFICATION

Precautionary Statement:
Medical Conditions Aggravated:
Primary Routes of Entry:
PEL: NA
TLV: NA
LD50: NA
Carcinogenicity: NA
Toxicity: NA
RTECS #: NA

Acute Effects: NA
Chronic Effects: NA
Target Organs: NA

7. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes
Skin: Immediately wash skin with soap and copious amounts of water
Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen
Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.
Other: Wash contaminated clothing before re-use

8. FIRE FIGHTING MEASURES

Upper Flammable Limit: NA
Lower Flammable Limit: NA
Upper Explosion Limit: NA
Lower Explosion Limit: NA
Flashpoint: NA
Auto ignition Temperature: NA
Fire Extinguishing Media: NA
Unusual Fire/Explosion Data: NA

9. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

10. HANDLING AND STORAGE

Store desiccated at or below room temperature.

11. WASTE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.

Solulink, Incorporated
9853 Pacific Heights Blvd, Suite H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 625-0770

DATE: October 18, 2006

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Chemical Name: **S-4FB (succinimidyl-4-formyl benzoate)**
Molecular Formula: $C_{12}H_9NO_5$
Molecular Weight: 247.2

2. COMPOSITION/INGREDIENTS

CAS Number: Custom synthesized compound. No CAS Number.
Components: single compound

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: white solid
Percent Purity: >97%
Boiling Point: NA
Melting Point: NA
Freezing Point: NA
pH: NA
Solubility: NA
Vapor Density: NA
Vapor Pressure: NA

4. REACTIVITY

Stability: stable when stored desiccated
Incompatibility:
Hazardous Decomposition Components:

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. HAZARDS IDENTIFICATION

Precautionary Statement:
Medical Conditions Aggravated:
Primary Routes of Entry:
PEL: NA
TLV: NA
LD50: NA
Carcinogenicity: NA
Toxicity: NA

RTECS #:	NA
Acute Effects:	NA
Chronic Effects:	NA
Target Organs:	NA

7. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes
Skin: Immediately wash skin with soap and copious amounts of water
Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen
Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.
Other: Wash contaminated clothing before re-use

8. FIRE FIGHTING MEASURES

Upper Flammable Limit:	NA
Lower Flammable Limit:	NA
Upper Explosion Limit:	NA
Lower Explosion Limit:	NA
Flashpoint:	NA
Auto ignition Temperature:	NA
Fire Extinguishing Media:	NA
Unusual Fire/Explosion Data:	NA

9. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

10. HANDLING AND STORAGE

Store desiccated at or below room temperature.

11. WASTE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.

Solulink, Incorporated
9853 Pacific Heights Blvd, Ste H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 546-0020

DATE: October 18, 2006

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Chemical Name: **2-Hydrazinopyridine.hydrochloride**
Catalog Number: S-2002
Molecular Formula: $C_5H_7N_3.HCl$
Molecular Weight: 181.1

2. COMPOSITION/INGREDIENTS

CAS Number: 62437-99-4
Components: single compound

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: white solid
Percent Purity: >95%
Boiling Point: NA
Melting Point: NA
Freezing Point: NA
pH: NA
Solubility: NA
Vapor Density: NA
Vapor Pressure: NA

4. REACTIVITY

Stability: stable desiccated
Incompatibility: hydrolyzes in water
Hazardous Decomposition Components:

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. HAZARDS IDENTIFICATION

Precautionary Statement:
Medical Conditions Aggravated:
Primary Routes of Entry:
PEL: NA
TLV: NA
LD50: NA
Carcinogenicity: NA

Toxicity:	NA
RTECS #:	NA
Acute Effects:	NA
Chronic Effects:	NA
Target Organs:	NA

7. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes

Skin: Immediately wash skin with soap and copious amounts of water

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Other: Wash contaminated clothing before re-use

8. FIRE FIGHTING MEASURES

Upper Flammable Limit: NA

Lower Flammable Limit: NA

Upper Explosion Limit: NA

Lower Explosion Limit: NA

Flashpoint: NA

Auto ignition Temperature: NA

Fire Extinguishing Media: NA

Unusual Fire/Explosion Data: NA

9. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

10. HANDLING AND STORAGE

Store desiccated at or below room temperature.

11. WASTE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.

Solulink, Incorporated
9853 Pacific Heights Blvd, Ste H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 546-0020

DATE: October 18, 2006

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Chemical Name: 2-sulfobenzaldehyde sodium salt hydrate (tech. 75%)
BENZALDEHYDE-2-SULFONIC ACID SODIUM SALT
Catalog Number: S-2005
Molecular Formula: C₇H₅O₄S.Na
Molecular Weight: 208.17

2. COMPOSITION/INGREDIENTS

CAS Number: 1008-72-6
Components: single compound

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: white solid
Percent Purity: >75%
Boiling Point: NA
Melting Point: NA
Freezing Point: NA
pH: NA
Solubility: NA
Vapor Density: NA
Vapor Pressure: NA

4. REACTIVITY

Stability: stable desiccated
Incompatibility: hydrolyzes in water
Hazardous Decomposition Components:

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. HAZARDS IDENTIFICATION

Precautionary Statement:
Medical Conditions Aggravated:
Primary Routes of Entry:
PEL: NA
TLV: NA
LD50: NA
Carcinogenicity: NA

Toxicity:	NA
RTECS #:	NA
Acute Effects:	NA
Chronic Effects:	NA
Target Organs:	NA

7. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes

Skin: Immediately wash skin with soap and copious amounts of water

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Other: Wash contaminated clothing before re-use

8. FIRE FIGHTING MEASURES

Upper Flammable Limit: NA

Lower Flammable Limit: NA

Upper Explosion Limit: NA

Lower Explosion Limit: NA

Flashpoint: NA

Auto ignition Temperature: NA

Fire Extinguishing Media: NA

Unusual Fire/Explosion Data: NA

9. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

10. HANDLING AND STORAGE

Store desiccated at or below room temperature.

11. WASTE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.

Solulink, Incorporated
9853 Pacific Heights Blvd, Suite H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 625-0770

DATE: July 24, 2007

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Chemical Name: **DMF, Dimethylformamide**
Catalog Number: S 4001
Molecular Formula: $\text{HCON}(\text{CH}_3)_2$

2. COMPOSITION/INGREDIENTS

CAS Number: Custom synthesized compound. No CAS Number.
Components:

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless liquid
Percent Purity: 99.8%
Boiling Point: 153 C
Melting Point: -61 C
Vapor Density: 2.5
Vapor Pressure: 2.6 mm Hg at 20 C
Specific Gravity: 0.95
Flash Point: 58 C
Explosion limits: 2.2%- 15.2%
Autoignition Temperature: 445C

4. REACTIVITY

Stability: stable

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. HAZARDS IDENTIFICATION

Precautionary Statement: May act as a carcinogen, exposure may result in fetal death. Long term exposure may result in kidney or liver damage
Primary Routes of Entry: Harmful by inhalation, ingestion of skin contact
PEL: NA
TLV: NA
LD50: NA
Carcinogenicity: NA
Toxicity: NA

RTECS #: NA
Acute Effects: NA
Chronic Effects: NA
Target Organs: NA

7. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes
Skin: Immediately wash skin with soap and copious amounts of water
Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen
Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.
Other: Wash contaminated clothing before re-use

8. FIRE FIGHTING MEASURES

Upper Flammable Limit: NA
Lower Flammable Limit: NA
Upper Explosion Limit: NA
Lower Explosion Limit: NA
Flashpoint: NA
Auto ignition Temperature: NA
Fire Extinguishing Media: NA
Unusual Fire/Explosion Data: NA

9. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

10. HANDLING AND STORAGE

Store desiccated at or below room temperature.

11. WASTE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.

Solulink, Incorporated
9853 Pacific Heights Blvd, Suite H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 625-0770

DATE: May 14, 2007

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Product Name: 10X Modification Buffer
Catalog Number: S-4000

2. COMPOSITION/INGREDIENTS

<u>Ingredient name:</u>	<u>CAS Number:</u>	<u>%:</u>
Sodium Phosphate, Dibasic	7558-79-4	25-45
Sodium Chloride	7647-14-5	25-45
Sodium Phosphate, Monobasic	10049-21-5	10-20

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid
Percent Purity: 100%
Boiling Point: 100°C
Freezing Point: 0°C
pH: 7.2
Solubility: Aqueous
Vapor Density: NA
Vapor Pressure: NA

4. HAZARDS IDENTIFICATION

Emergency Overview:

Avoid contact with skin and clothing. Wash thoroughly after handling.

Sodium azide is highly toxic and is readily absorbed through skin. Sodium azide may react with lead and copper plumbing to form highly explosive metal azides.

HMIS Rating:

Health: 4
Flammability: 0
Reactivity: 2

NFPA Rating:

Health: 4
Flammability: 0
Reactivity: 2

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes

Skin: Immediately wash skin with soap and copious amounts of water

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Other: Wash contaminated clothing before re-use

7. FIRE FIGHTING MEASURES

Upper Flammable Limit: NA

Lower Flammable Limit: NA

Upper Explosion Limit: NA

Lower Explosion Limit: NA

Flashpoint: NA

Auto ignition Temperature: NA

Fire Extinguishing Media: NA

Unusual Fire/Explosion Data: NA

8. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

9. HANDLING AND STORAGE

Store in tightly sealed container at room temperature.

10. WASTE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, State and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.

Solulink, Incorporated
9853 Pacific Heights Blvd, Suite H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 625-0770

DATE: May 14, 2007

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Product Name: 10X Conjugation Buffer
Catalog Number: S-4002

2. COMPOSITION/INGREDIENTS

<u>Ingredient name:</u>	<u>CAS Number:</u>	<u>%:</u>
Sodium Phosphate, Dibasic	7558-79-4	25-45
Sodium Chloride	7647-14-5	25-45
Sodium Phosphate, Monobasic	10049-21-5	10-20
Sodium Azide	26628-22-8	0.05

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid
Percent Purity: 100%
Boiling Point: 100°C
Freezing Point: 0°C
pH: 6.0
Solubility: Aqueous
Vapor Density: NA
Vapor Pressure: NA

4. HAZARDS IDENTIFICATION

Emergency Overview:

Avoid contact with skin and clothing. Wash thoroughly after handling.

Sodium azide is highly toxic and is readily absorbed through skin. Sodium azide may react with lead and copper plumbing to form highly explosive metal azides.

HMIS Rating:

Health: 4
Flammability: 0
Reactivity: 2

NFPA Rating:

Health: 4
Flammability: 0
Reactivity: 2

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes

Skin: Immediately wash skin with soap and copious amounts of water

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Other: Wash contaminated clothing before re-use

7. FIRE FIGHTING MEASURES

Upper Flammable Limit: NA

Lower Flammable Limit: NA

Upper Explosion Limit: NA

Lower Explosion Limit: NA

Flashpoint: NA

Auto ignition Temperature: NA

Fire Extinguishing Media: NA

Unusual Fire/Explosion Data: NA

8. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

9. HANDLING AND STORAGE

Store in tightly sealed container at room temperature.

10. WASTE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, State and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.

Solulink, Incorporated
9853 Pacific Heights Blvd, Suite H
San Diego, California 92121

Phone: (858) 625-0670
Fax: (858) 625-0770

DATE: May 14, 2007

MATERIAL SAFETY DATA SHEET

1. CHEMICAL IDENTIFICATION

Product Name: 10X MES Buffer
Catalog Number: S-4026

2. COMPOSITION/INGREDIENTS

<u>Ingredient name:</u>	<u>CAS Number:</u>	<u>%:</u>
2-Morpholinoethanesulfonic acid	4432-31-9	19.5
Water	7732-18-5	80.5

3. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid
Percent Purity: 100%
Boiling Point: 100°C
Freezing Point: 0°C
pH: 7.2
Solubility: Aqueous
Vapor Density: NA
Vapor Pressure: NA

4. HAZARDS IDENTIFICATION

Emergency Overview:

Avoid contact with skin and clothing. Wash thoroughly after handling.

Sodium azide is highly toxic and is readily absorbed through skin. Sodium azide may react with lead and copper plumbing to form highly explosive metal azides.

HMIS Rating:

Health: 4
Flammability: 0
Reactivity: 2

NFPA Rating:

Health: 4
Flammability: 0
Reactivity: 2

5. EXPOSURE CONTROLS/EMPLOYEE PROTECTION

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, and other protective clothing. Safety shower and eye bath required. Mechanical exhaust required. Wash thoroughly after handling.

6. FIRST AID MEASURES

Eyes: Immediately flush eyes with copious amounts of water for at least 15 minutes

Skin: Immediately wash skin with soap and copious amounts of water

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Other: Wash contaminated clothing before re-use

7. FIRE FIGHTING MEASURES

Upper Flammable Limit: NA

Lower Flammable Limit: NA

Upper Explosion Limit: NA

Lower Explosion Limit: NA

Flashpoint: NA

Auto ignition Temperature: NA

Fire Extinguishing Media: NA

Unusual Fire/Explosion Data: NA

8. ACCIDENTAL RELEASE

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Sweep up, place in a bag, and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

9. HANDLING AND STORAGE

Store in tightly sealed container at room temperature.

10. WASTE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, State and local environmental regulations.

Solulink, Inc. believes the above information to be accurate, but not necessarily all inclusive, and thus should only be used as a guide in the handling and use of this material. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Solulink, Inc. shall not take responsibility for any damage resulting from handling or from contact with the above product. The information in this material safety data sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder 29 CFR § 1910.1200.